

**AMENDMENTS IN THE CLAIMS**

1           1. - 14. (Canceled)

1           15.   (Currently amended) A network, comprising:

2           an intermediate application server component that provides one or more services  
3           to one or more telephony devices on a call through employment of one or more data  
4           streams associated with the call; and

5           an intermediate switch component, wherein the intermediate switch component  
6           and the one or more telephony devices cooperate to establish the call; and

7           wherein the intermediate switch component communicates with the intermediate  
8           application server component to establish the one or more data streams associated with  
9           the call; and

10          wherein the intermediate switch component maintains one or more voice portions  
11          of the call; and

12          wherein the intermediate application server component associates the one or  
13          more services with the call; and

14          wherein the intermediate application server component communicates with the  
15          intermediate switch component to update one or more of the one or more voice portions  
16          of the call based on the one or more services; and

17 wherein the call comprises a conference call, and wherein the intermediate  
18 switch component comprises [[the]] a conference bridge component for said conference  
19 call, and wherein the one or more telephony devices comprise a first telephony device  
20 and a second telephony device, and wherein the conference bridge component  
21 prohibits an input from the first telephony device on the conference call; and

22 wherein the intermediate application server component provides one or more  
23 control interfaces that allow the second telephony device to transmit a request to the  
24 intermediate application server component; and

25 wherein in response to the request from the second telephony device to the  
26 intermediate application server component, the intermediate application server  
27 component and the conference bridge component update the conference call to allow  
28 the input from the first telephony device on the conference call.

1 16. (Previously presented) A network, comprising:

2 an intermediate application server component that provides one or more services  
3 to one or more telephony devices on a call through employment of one or more data  
4 streams associated with the call; and

5 an intermediate switch component, wherein the intermediate switch component  
6 and the one or more telephony devices cooperate to establish the call; and

7 wherein the intermediate switch component communicates with the intermediate  
8 application server component to establish the one or more data streams associated with  
9 the call; and

10 wherein the intermediate switch component maintains one or more voice portions  
11 of the call; and

12 wherein the intermediate application server component associates the one or  
13 more services with the call; and

14 wherein the intermediate application server component communicates with the  
15 intermediate switch component to update one or more of the one or more voice portions  
16 of the call based on the one or more services; and

17 wherein the call comprises a pre-paid call, and wherein the intermediate switch  
18 component comprises a pre-paid service component, and wherein a telephony device of  
19 the one or more telephony devices establishes the pre-paid call with the pre-paid  
20 service component; and

21 wherein the intermediate application server component provides one or more  
22 control interfaces that allow the telephony device to transmit a first request to the  
23 intermediate application server component, and wherein the first request initiates a first  
24 call; and

25 wherein in response to the first request from the telephony device to the  
26 intermediate application server component, the intermediate application server  
27 component communicates with the pre-paid service component to initiate the first call,  
28 and wherein the intermediate application server component provides a first one or more  
29 of the one or more control interfaces to allow the telephony device to transmit a second  
30 request, and wherein the second request terminates the first call; and

31 wherein in response to the second request from the telephony device to the  
32 intermediate application server component, the intermediate application server  
33 component communicates with the pre-paid service component to terminate the first  
34 call, and wherein the intermediate application server component provides a second one  
35 or more of the one or more control interfaces to allow the telephony device to transmit a  
36 third request, and wherein the third request initiates a second call; and

37 wherein in response to the third request from the telephony device to the  
38 intermediate application server component, the intermediate application server  
39 component communicates with the pre-paid service component to initiate the second  
40 call.

1 17. – 20. (Canceled)

1 21. (Currently amended) The network of claim ~~[[1]]~~ 15, wherein the  
2 intermediate application server component establishes the one or more data streams  
3 through employment of one or more identifiers, and at least one of the one or more  
4 identifiers is a port number.

1 22. (Canceled)

1 23. (New) The network of claim 15, wherein the intermediate application  
2 server component and one or more user-related application server components  
3 establish the one or more data streams; and

6

LUC-427/Clark 9

4 wherein the intermediate application server component provides the one or more  
5 services to the one or more user-related application server components through  
6 employment of the one or more data streams.

1 24. (New) The network of claim 23, wherein the one or more user-related  
2 application server components cooperate with the one or more telephony devices to  
3 establish one or more web portals that are employable by the intermediate application  
4 server component and the one or more user-related application server components to  
5 provide the one or more services to the one or more telephony devices.

1 25. (New) The network of claim 24, wherein the intermediate application  
2 server component and the one or more user-related application server components  
3 provide one or more interfaces associated with the one or more services to the one or  
4 more telephony devices through employment of the one or more web portals for  
5 employment by the one or more telephony devices in interaction with the one or more  
6 services.

1 26. (New) The network of claim 25, wherein the intermediate application  
2 server component cooperates with the one or more telephony devices to establish the  
3 call; and

4 wherein the intermediate application server component alters the call based on  
5 the interaction with the one or more services.

1           27. (New) The network of claim 25, wherein the intermediate application  
2 server component alters one or more of the one or more interfaces based on the  
3 employment of the one or more services; and

4           wherein the intermediate application server component and the one or more  
5 user-related application server components cooperate to update the one or more of the  
6 one or more interfaces through employment of the one or more data streams.

1           28. (New) The network of claim 27, wherein the one or more telephony  
2 devices comprise a first telephony device and a second telephony device, and wherein  
3 the intermediate application server component and the one or more user-related  
4 application server components cooperate to provide a first one or more interfaces to the  
5 first telephony device and a second one or more interfaces to the second telephony  
6 device; and

7           wherein the intermediate application server component allows the first telephony  
8 device to interact with one or more of the one or more services through employment of  
9 the first one or more interfaces; and

10          wherein the intermediate application server component automatically updates  
11 one or more of the second one or more interfaces based on the first telephony device  
12 based on the one or more of the one or more services.

1           29.   (New) The network of claim 28, wherein the one or more of the first one or  
2 more interfaces comprise a first one or more of the first one or more interfaces, and  
3 wherein the intermediate application server component and the one or more user-  
4 related application server components update a second one or more the first one or  
5 more interfaces based on the one or more of the one or more services.

1           30.   (New) The network of claim 25, wherein the one or more interfaces  
2 comprise one or more graphical user interfaces; and  
3           wherein the intermediate application server component and the one or more  
4 user-related application server components provide the one or more graphical user  
5 interfaces that are employable by the one or more telephony devices.

1           31.   (New) The network of claim 30, wherein the intermediate application  
2 server component employ the eXtended Markup Language (XML) to provide the one or  
3 more graphical user interfaces.

1           32.   (New) The network of claim 24, wherein the intermediate application  
2 server component and the one or more user-related application server component  
3 employ the HyperText Transport Protocol (HTTP) to provide the one or more web  
4 portals to the one or more telephony devices.

1           33.   (New) The network of claim 16, wherein the intermediate application  
2 server component and one or more user-related application server components  
3 establish the one or more data streams; and

4 wherein the intermediate application server component provides the one or more  
5 services to the one or more user-related application server components through  
6 employment of the one or more data streams.

1 34. (New) The network of claim 33, wherein the one or more user-related  
2 application server components cooperate with the one or more telephony devices to  
3 establish one or more web portals that are employable by the intermediate application  
4 server component and the one or more user-related application server components to  
5 provide the one or more services to the one or more telephony devices.

1 35. (New) The network of claim 34, wherein the intermediate application  
2 server component and the one or more user-related application server components  
3 provide one or more interfaces associated with the one or more services to the one or  
4 more telephony devices through employment of the one or more web portals for  
5 employment by the one or more telephony devices in interaction with the one or more  
6 services.

1 36. (New) The network of claim 35, wherein the intermediate application  
2 server component cooperates with the one or more telephony devices to establish the  
3 call; and

4 wherein the intermediate application server component alters the call based on  
5 the interaction with the one or more services.



1        37. (New) The network of claim 35, wherein the intermediate application  
2 server component alters one or more of the one or more interfaces based on the  
3 employment of the one or more services; and

4        wherein the intermediate application server component and the one or more  
5 user-related application server components cooperate to update the one or more of the  
6 one or more interfaces through employment of the one or more data streams.

1        38. (New) The network of claim 37, wherein the one or more telephony  
2 devices comprise a first telephony device and a second telephony device, and wherein  
3 the intermediate application server component and the one or more user-related  
4 application server components cooperate to provide a first one or more interfaces to the  
5 first telephony device and a second one or more interfaces to the second telephony  
6 device; and

7        wherein the intermediate application server component allows the first telephony  
8 device to interact with one or more of the one or more services through employment of  
9 the first one or more interfaces; and

10       wherein the intermediate application server component automatically updates  
11 one or more of the second one or more interfaces based on the first telephony device  
12 based on the one or more of the one or more services.

1           39.   (New) The network of claim 38, wherein the one or more of the first one or  
2   more interfaces comprise a first one or more of the first one or more interfaces, and  
3   wherein the intermediate application server component and the one or more user-  
4   related application server components update a second one or more the first one or  
5   more interfaces based on the one or more of the one or more services.

1           40.   (New) The network of claim 35, wherein the one or more interfaces  
2   comprise one or more graphical user interfaces; and  
3           wherein the intermediate application server component and the one or more  
4   user-related application server components provide the one or more graphical user  
5   interfaces that are employable by the one or more telephony devices.

1           41.   (New) The network of claim 40, wherein the intermediate application  
2   server component employ the eXtended Markup Language (XML) to provide the one or  
3   more graphical user interfaces.

1           42.   (New) The network of claim 34, wherein the intermediate application  
2   server component and the one or more user-related application server component  
3   employ the HyperText Transport Protocol (HTTP) to provide the one or more web  
4   portals to the one or more telephony devices.